

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Hardwax Oil Product no.

REACH registration number Not applicable Other means of identification

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture wood surfaces, indoors Uses advised against

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address WoodCare Denmark A/S

Tværvej 6 6640 Lunderskov Denmark Tel: 99585600 Fax: 99585634 **Contact person**

LFH E-mail

info@ttwoodcare.com SDS date 19-09-2013 SDS Version

1.0

1.4. Emergency telephone number

Use your national or local emergency number See section 4 "First aid measures"

SECTION 2: Hazards identification

```
2.1. Classification of the substance or mixture

This product is not classified as dangerous.
See full text of H/R-phrases in section 2.2.

DPD/DSD Classification

2.2. Label elements
Hazard pictogram(s)
Signal word
Hazard statement(s)
Identity of the substances primarily responsible for the major health hazards
```



	General	-
Safety	Prevention	-
statement(s)	Response	-
	Storage	-
	Disposal	-

2.3. Other hazards

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying. This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

Additional labelling

Safety data sheet available on request. Additional warnings

voc

VOC-MAX: 470 g/l, MAXIMUM VOC CONTENT (A (SB)): 500 g/l.

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances

NAME: IDENTIFICATION NOS.: CONTENT: DSD CLASSIFICATION: CLP CLASSIFICATION: NOTE:	alkaner, C9-12-iso CAS-no: 90622-57-4 EC-no: 292-459-0 15-25% R10 Xn;R65 R53 R66 Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 4 H226, H304, H413, EUH066 S
NAME: IDENTIFICATION NOS.: CONTENT: DSD CLASSIFICATION: CLP CLASSIFICATION: NOTE:	Hydrocarbons, C11-C14 n-alkanes, isoalkanes, cyclic, REACH-no: 01-2119456620-43 5-15% Xn;R65 R66 Asp. Tox. 1 H304, EUH066 S
NAME: IDENTIFICATION NOS.: CONTENT: DSD CLASSIFICATION: CLP CLASSIFICATION: NOTE:	Naphtha (petroleum), hydrotreated heavy CAS-no: 64742-48-9 EC-no: 265-150-3 Index-no: 649-327-00-6 5-15% Xn;R65 R66 Asp. Tox. 1 H304, EUH066 S
NAME: IDENTIFICATION NOS.: CONTENT: DSD CLASSIFICATION: CLP CLASSIFICATION: NOTE:	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, REACH-no: 01-2119453414-43 1-5% Xn;R65 R66 Asp. Tox. 1 H304, EUH066 S

(*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.

S = Organic solvent

Other informations

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation



Get the person into fresh air and stay with them.

Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns

Rinse with water until the pain stops and continue for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
- No specific requirements.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original.

Storage temperature

Store frost-free.

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No data available

DNEL / PNEC

No data available.

8.2. Exposure controls

No control is necessary if the product is used in a normal way.

General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

Exposure limits

There are no maximum exposure limits for the substances contained in this product.

Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Only CE-marked personal protection equipment should be used.

Respiratory Equipment

If the ventilation at the work place is not sufficient, use a half or whole mask with an appropriate filter or an air-supplied respiratory protector. The choice depends on the concrete work situation and how long you will be using the product.

Skin protection

No specific requirements.

Hand protection

Recommended: Nitrile rubber. . Breakthrough time: See the manufacturer's instructions

Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties
FormpHViscosityDensity (g/cm3)

FUIII	Coloui	Ououi	рп	viscosity	Density (g/cm3)
Liquid	Various colours	Faint	-	-	1



Phase changes Melting point (°C)	Boiling point (°C)	Vapour pressure (mm Hg)
Data on fire and explosion ha	zards	-
Flashpoint (°C) 66	Ignition (°C)	Self ignition (°C)
Explosion limits (Vol %)	Oxidizing properties	
-	-	
Solubility		
Solubility in water	n-octanol/water coefficient	
Insoluble	-	
9.2. Other information		
Solubility in fat	Additional information N/A	

SEC

ECTION 10: Stability and reactive	ity			
 10.1. Reactivity No data available 10.2. Chemical stability The product is stable un 10.3. Possibility of hazardou No special 10.4. Conditions to avoid Do not expose to heat (e 10.5. Incompatible materials Strong acids, strong bas 10.6. Hazardous decomposi The product is not degrad 	e.g. sunlight), bec es, strong oxidisir tion products	ause it can lead t ng agents, and str	ong catabolic agents.	,
ECTION 11: Toxicological inform	ation			
11.1. Information on toxicolo	ogical effects			
Acute toxicity Substance No data available. Skin corrosion/irritation No data available.	Species	Test	Route of exposure	Result

Serious eye damage/irritation No data available. **Respiratory or skin sensitisation** No data available. Germ cell mutagenicity No data available. Carcinogenicity No data available. **Reproductive toxicity** No data available. **STOT-single exposure** No data available. **STOT-repeated exposure** No data available. Aspiration hazard No data available. Long term effects

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.



SECTION 12: Ecologic	al information	ı					
12.1. Toxicity Substance No data availa	ble	Species	Fest	Test du	Iration		Result
12.2. Persistence Substance No data availa	and degradal	bility Biodegradability	Test		Result		
12.3. Bioaccumu Substance No data availa	ble.	Potential bioaccum	LogPow			BFC	
12.4. Mobility in soil No data available 12.5. Results of PBT and vPvB assessment							
	se effects	stances which can cau bility.	se undesirable	e long-term (effects in	the wat	er environment,
SECTION 13: Disposa	l consideratio	ns					
Waste EWC code Specific labe Contaminated	t is not covered	d by the regulations on	dangerous w	aste.			
ECTION 14: Transpo	rt information						
Not listed as dangerous 14.1 – 14.4	goods under A	ADR and IMDG regulat	ions.				
ADR/RID	14.1. UN number	14.2. UN proper shippir name	ng 14.3. Trans class(es)	14.3. Transport hazard class(es)		acking	Notes
IMDG	UN-no.	Proper Shipping Name	Class	PG*	EmS	MP**	Hazardous constituent
14.5. Environme	ntal hazards						
- 14.6. Special pre	ecautions for u	Iser					
- 14.7. Transport i No data ava (*) Packing group (**) Marine pollutant		ing to Annex II of MA	RPOL73/78 a	and the IBC	Code		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005. Demands for specific education



Additional information

15.2. Chemical safety assessment No

SECTION 16: Other information'

Sources

EC regulation 1907/2006 (REACH) Directive 2000/532/EC EC Regulation 1272/2008 (CLP)

Full text of H/R-phrases as mentioned in section 3

R10 - Flammable.

R53 - May cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H413 - May cause long lasting harmful effects to aquatic life.

EUH066 - Repeated exposure may cause skin dryness or cracking.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

LFH

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

· _

ALPHAOMEGA. Licens nr.:2603245550, WoodCare Denmark A/S www.chymeia.com