

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 12.02.2008

Revision: 12.02.2008

Product details	
Trade name:	Osmo Wood Filler
Application of the substance	/ the
preparation	Knife filler/ Surfacer
Manufaatunan/Sunnlian	Osmo Holz und Color GmbH & Co. KG
Manufacturer/Supplier:	
	Affhüppen Esch 12 D-48231 Warendorf
Further information obtainal	
from:	Product safety department
jrom.	Phone: +49 (0) 251 / 692 - 188
	Fax: +49 (0) 251 / 692 - 462
	e-mail: helmut.starp@osmo.de
Information in case of	e-mail. hemilit.starp@0smb.ue
emergency:	emergency phone no. Berlin (24h): +49 (0) 30 / 19240
Hazards identification	
Hazard description:	Not applicable.
Information concerning	
particular hazards for human	and
environment:	The product does not have to be labelled due to the calculation procedure of
	"General Classification guideline for preparations of the EU" in the latest valid versi
Classification system:	The classification is according to the latest editions of the EU-lists, and extended
	company and literature data.
Composition/information	n on ingredients
Chemical characterization	
Description:	Mixture of substances listed below with nonhazardous additions.
Dangerous components:	
Void	
Additional information:	For the wording of the listed risk phrases refer to section 16.
zuunonui mjormunon.	Tor the wording of the instea fisk pintases feler to section 10.
First aid measures	
	No special measures required.
General information:	No special measures required. Supply fresh air: consult doctor in case of complaints.
General information: After inhalation:	Supply fresh air; consult doctor in case of complaints.
First aid measures General information: After inhalation: After skin contact: After eye contact:	Supply fresh air; consult doctor in case of complaints. Generally the product does not irritate the skin.
General information: After inhalation:	Supply fresh air; consult doctor in case of complaints.



Page 2/5

## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2008

Revision: 12.02.2008 Trade name: Osmo Wood Filler (Contd. of page 1) 5 Fire-fighting measures Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. No special measures required. **Protective equipment:** 6 Accidental release measures Person-related safety precautions: Not required. Measures for environmental Dilute with plenty of water. protection: Do not allow to enter sewers/ surface or ground water. Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Additional information: No dangerous substances are released. 7 Handling and storage Handling: No special measures required. Information for safe handling: Information about fire - and explosion protection: No special measures required. Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one Not required. common storage facility: Further information about Protect from frost. storage conditions: 8 Exposure controls/personal protection Additional information about No further data; see item 7. design of technical facilities: Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists valid during the making were used as basis. Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Not required. **Respiratory protection:** (Contd. on page 3)

Page 3/5



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2008

Revision: 12.02.2008

(Contd. on page 4)

GB

the p Select diffurMaterial of glovesNitrilPenetration time of glove materialThe o gloveFor the permanent contact glovesmade of the following materials are suitable:NitrilAs protection from splashes gloves made of the following materials are suitable:NitrilEye protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationAccoo Odour:Form:Pasty Colour: AccooOdour:MildChange in condition Melting point/Melting range: Boiling point/Boiling range:UnderFlash point:Not a Self-igniting:Danger of explosion:ProduSolubility in / Miscibility withSelf-igniting with	(Contd. of page glove material has to be impermeable and resistant to the product/ the substance reparation. In the glove material on consideration of the penetration times, rates sion and the degradation e rubber, NBR exact break trough time has to be found out by the manufacturer of the protection and has to be observed.
the p Select diffurMaterial of glovesNitrilPenetration time of glove materialThe o gloveFor the permanent contact glovesmade of the following materials are suitable:NitrilAs protection from splashes gloves made of the following materials are suitable:NitrilEye protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationAccoo Odour:Form:Pasty Colour: AccooOdour:MildChange in condition Melting point/Melting range: Boiling point/Boiling range:UnderFlash point:Not a Self-igniting:Danger of explosion:ProduSolubility in / Miscibility withSelf-igniting with	glove material has to be impermeable and resistant to the product/ the substant reparation. ction of the glove material on consideration of the penetration times, rates sion and the degradation e rubber, NBR exact break trough time has to be found out by the manufacturer of the protecti
the p Select diffurMaterial of glovesNitrilPenetration time of glove materialThe o gloveFor the permanent contact glovesmade of the following materials are suitable:NitrilAs protection from splashes gloves made of the following materials are suitable:NitrilEye protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationAccoo Odour:Form:Pasty Colour: AccooOdour:MildChange in condition Melting point/Melting range: Boiling point/Boiling range:UnderFlash point:Not a Self-igniting:Danger of explosion:ProduSolubility in / Miscibility withSelf-igniting with	reparation. etion of the glove material on consideration of the penetration times, rates sion and the degradation e rubber, NBR exact break trough time has to be found out by the manufacturer of the protecti
Select diffurMaterial of glovesNitrilPenetration time of glove materialThe or gloveFor the permanent contact gloves made of the following materials are suitable:NitrilAs protection from splashes gloves made of the following materials are suitable:NitrilEye protection:GoggBody protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationAccoForm:PastyColour:AccoOdour:MildChange in condition Melting point/Melting range:UndeFlash point:Not atSelf-igniting:ProduDanger of explosion:ProduSolubility in / Miscibility withHasta at 20°C:Solubility in / Miscibility withSelf-	ction of the glove material on consideration of the penetration times, rates sion and the degradation e rubber, NBR exact break trough time has to be found out by the manufacturer of the protecti
Material of glovesdiffur NitrilPenetration time of glove materialThe or gloveFor the permanent contact glovesmade of the following materialsare suitable:NitrilAs protection from splashes gloves made of the following materials are suitable:NitrilEye protection:GoggBody protection:GoggBody protection:ProtectionForm:PastyColour:AccorOdour:MildChange in condition Melting point/Melting range:UndeFlash point:Not atSelf-igniting:ProduDanger of explosion:ProduSolubility in / Miscibility withSelf-igniting in / Miscibility with	sion and the degradation e rubber, NBR exact break trough time has to be found out by the manufacturer of the protection
Material of glovesNitrilPenetration time of glove materialThe origlovePenetration time of glove materialThe origloveFor the permanent contact glovesmade of the following materialsare suitable:NitrilAs protection from splashesglovesgloves made of the followingMitrilmaterials are suitable:NitrilEye protection:GoggBody protection:ProtectorPhysical and chemical propertiesGeneral InformationAccoColour:AccoOdour:MildChange in conditionMildMelting point/Melting range:UnderBoiling point/Boiling range:UnderFlash point:ProduDanger of explosion:ProduSolubility in / Miscibility withStation	e rubber, NBR exact break trough time has to be found out by the manufacturer of the protection
Penetration time of glove materialThe origiovePenetration time of glove materialglovesFor the permanent contact glovesmade of the following materialsare suitable:NitrilAs protection from splashesglovesgloves made of the followingmaterials are suitable:materials are suitable:NitrilEye protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationForm:Form:PastyColour:AccooOdour:MildChange in conditionMildMelting point/Melting range:UndeBoiling point/Boiling range:UndeFlash point:Not aSelf-igniting:ProduDanger of explosion:ProduSolubility in / Miscibility withSolubility in / Miscibility with	exact break trough time has to be found out by the manufacturer of the protection
gloveFor the permanent contact glovesmade of the following materialsare suitable:NitrilAs protection from splashesgloves made of the followingmaterials are suitable:NitrilEye protection:GoggBody protection:ProtectionPhysical and chemical propertiesGeneral InformationForm:PastyColour:AccooOdour:MildChange in conditionMildMelting point/Melting range:UnderBoiling point/Boiling range:UnderSelf-igniting:ProdeDanger of explosion:ProdeSolubility in / Miscibility withSelf-Solubility in / Miscibility with	
For the permanent contact gloves made of the following materials are suitable:NitrilAs protection from splashes gloves made of the following materials are suitable:NitrilBody protection:Gogg Body protection:NitrilPhysical and chemical propertiesGeneral InformationForm:Pasty Colour:Acco MildChange in condition Melting point/Melting range:Under Boiling point/Boiling range:Flash point:Not a 	
are suitable:NitrilAs protection from splashesgloves made of the followingmaterials are suitable:NitrilEye protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationForm:PastyColour:AccoOdour:MildChange in conditionMildMelting point/Melting range:UndeBoiling point/Boiling range:UndeSelf-igniting:ProduDanger of explosion:ProduSolubility in / Miscibility withViscibility with	
As protection from splashes gloves made of the following materials are suitable:Nitril Gogg Body protection:Eye protection:Gogg Gogg Body protection:Protection:Physical and chemical propertiesGeneral InformationPasty Colour:Form:Pasty Colour:NitrilColour:MildChange in condition Melting point/Melting range:Under Boiling point/Melting range:Flash point:Not aSelf-igniting:Product 1.92Solubility in / Miscibility withProduct	
gloves made of the following materials are suitable:Nitril Eye protection:Eye protection:Gogg Body protection:Protection:Physical and chemical propertiesGeneral InformationForm:Pasty Colour:Colour:Acco Odour:Odour:MildChange in condition Melting point/Melting range:Under Under Boiling point/Boiling range:Flash point:Not aSelf-igniting:Product 1.92Solubility in / Miscibility withForm:	e rubber, NBR
materials are suitable:NitrilEye protection:GoggBody protection:ProtePhysical and chemical propertiesGeneral InformationForm:PastyColour:AccoOdour:MildChange in conditionUnderMelting point/Melting range:UnderBoiling point/Boiling range:UnderFlash point:Not atSelf-igniting:ProductDanger of explosion:ProductSolubility in / Miscibility withVitril	
Eye protection:Gogg Body protection:Gogg Protection:Physical and chemical propertiesGeneral InformationForm:Pasty Colour:Colour:Pasty Acco Odour:Odour:MildChange in condition Melting point/Melting range:Under Under Boiling point/Boiling range:Flash point:Not at Self-igniting:Danger of explosion:Product 1.92Solubility in / Miscibility withProduct Product	
Body protection:ProtectionPhysical and chemical propertiesGeneral InformationForm:Form:PastyColour:AccoOdour:MildChange in conditionMildMelting point/Melting range:UnderBoiling point/Boiling range:UnderFlash point:Not aSelf-igniting:ProductDanger of explosion:ProductSolubility in / Miscibility withViscibility with	e rubber, NBR
Physical and chemical properties         General Information         Form:       Pasty         Colour:       Acco         Odour:       Mild         Change in condition       Mild         Change in condition       Unde         Boiling point/Melting range:       Unde         Boiling point/Boiling range:       Unde         Flash point:       Not a         Self-igniting:       Product         Danger of explosion:       Product         Solubility in / Miscibility with       Vertical point	les recommended during refilling
General Information         Form:       Pasty         Colour:       Acco         Odour:       Mild         Change in condition       Mild         Change in condition       Under         Boiling point/Melting range:       Under         Flash point:       Not a         Self-igniting:       Product         Danger of explosion:       Product         Density at 20°C:       1.92         Solubility in / Miscibility with       Vite With	ctive work clothing
Colour:AccoOdour:MildChange in conditionMildMelting point/Melting range:UndeBoiling point/Boiling range:UndeFlash point:Not aSelf-igniting:ProductDanger of explosion:ProductDensity at 20°C:1.92Solubility in / Miscibility withValue	
Odour:MildChange in condition Melting point/Melting range:Under Under Under Under Flash point:Flash point:Not aSelf-igniting:Product ProductDanger of explosion:Product 1.92Solubility in / Miscibility withProduct Product	rding to product specification
Change in conditionMelting point/Melting range:UnderBoiling point/Boiling range:UnderFlash point:Not aSelf-igniting:ProductDanger of explosion:ProductDensity at 20°C:1.92Solubility in / Miscibility withValue of the second se	tung to product specification
Melting point/Melting range:UnderBoiling point/Boiling range:UnderUnderUnderFlash point:Not aSelf-igniting:ProductDanger of explosion:ProductDensity at 20°C:1.92Solubility in / Miscibility withVolume	
Boiling point/Boiling range:UnderFlash point:Not aSelf-igniting:ProductDanger of explosion:ProductDensity at 20°C:1.92Solubility in / Miscibility withViscobility with	termined.
Flash point:Not aSelf-igniting:ProductDanger of explosion:ProductDensity at 20°C:1.92Solubility in / Miscibility with	termined.
Self-igniting:ProductDanger of explosion:ProductDensity at 20°C:1.92Solubility in / Miscibility with	pplicable.
Danger of explosion:ProduceDensity at 20°C:1.92Solubility in / Miscibility with	uct is not selfigniting.
Density at 20°C:1.92Solubility in / Miscibility with	uct does not present an explosion hazard.
Solubility in / Miscibility with	
	2/CII <sup>2</sup>
water: Fully	
	miscible.
Stability and reactivity	
Thermal decomposition / conditions to be avoided: No d	
Dangerous reactionsNo d	ecomposition if used according to specifications.



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2008

Page 4/5

Revision: 12.02.2008

Dangerous decomposition	(Contd. of page
products:	No dangerous decomposition products known.
products.	No dangerous decomposition products known.
Toxicological information	
Acute toxicity:	
Primary irritant effect:	
on the skin:	No irritant effect.
on the eye:	Irritating effect.
Sensitization:	No sensitizing effects known.
Additional toxicological	
information:	The product is not subject to classification according to the calculation method of the
-	General EU Classification Guidelines for Preparations as issued in the latest version.
	When used and handled according to specifications, the product does not have an
	harmful effects to our experience and the information provided to us.
	water
	Do not allow product to reach ground water, water course or sewage system.
Disposal considerations	
Disposal considerations Product:	Do not allow product to reach ground water, water course or sewage system.
-	Do not allow product to reach ground water, water course or sewage system. Must not be disposed together with household garbage. Do not allow product to reach
Product: Recommendation	Do not allow product to reach ground water, water course or sewage system.
Product: Recommendation European waste catalogue	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.  other than those mentioned in 08 01 11
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.  other than those mentioned in 08 01 11
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish         15 01 10       packaging containing res	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.  other than those mentioned in 08 01 11
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish         15 01 10       packaging containing res         Uncleaned packaging:	Do not allow product to reach ground water, water course or sewage system. Must not be disposed together with household garbage. Do not allow product to reac sewage system. other than those mentioned in 08 01 11 sidues of or contaminated by dangerous substances
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish         15 01 10       packaging containing res         Uncleaned packaging:         Recommendation:	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.  other than those mentioned in 08 01 11 sidues of or contaminated by dangerous substances Disposal must be made according to official regulations.
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish         15 01 10       packaging containing res         Uncleaned packaging:       Recommendation:         Recommended cleansing agents:       Recommended cleansing agents:	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to reac sewage system.  other than those mentioned in 08 01 11 sidues of or contaminated by dangerous substances Disposal must be made according to official regulations.
Product:         Recommendation         European waste catalogue         08 01 12       waste paint and varnish         15 01 10       packaging containing res         Uncleaned packaging:         Recommendation:         Recommended cleansing agents:	Do not allow product to reach ground water, water course or sewage system.  Must not be disposed together with household garbage. Do not allow product to resewage system.  other than those mentioned in 08 01 11 sidues of or contaminated by dangerous substances Disposal must be made according to official regulations.



Revision: 12.02.2008

#### Page 5/5

# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2008

Trade name: Osmo Wood Filler (Contd. of page 4) 15 Regulatory information Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals. Although this product is not subject to identification regulations, we recommend that the safety suggestions are observed. 2 Keep out of the reach of children. Safety phrases: 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Department issuing MSDS: product safety department Contact: Hr. Dr. Starp GB SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

	<u>Telephone</u> Regular: (02)9983 9906 (Office hours)
ACN 006 779 479	
Water based paste of mair	ly mineral fillers.
Timbermate Water B	ased Woodfiller
Product Use: Wood filler. Used in commercial and domestic carpentry applications.	
June, 2004	
March, 2010 and is valid	for 5 years from this date.
	Water based paste of mair <b>Timbermate Water B</b> Wood filler. Used in comm

## Section 2 - Hazards Identification

#### **Statement of Hazardous Nature**

This product is classified as: Not classified as hazardous according to the criteria of SWA Australia.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: Not Hazardous - No criteria found.

Safety Phrases: Not Hazardous - No criteria found.

SUSDP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good.

UN Number: None allocated

#### **Emergency Overview**

**Physical Description & colour**: Coloured paste. There are several varieties of this product, differing only in timber colour.

Odour: Mild odour.

Major Health Hazards: no significant risk factors have been found for this product.

## Potential Health Effects

## Inhalation

Short term exposure: Significant inhalation exposure is considered to be unlikely. Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation. Long Term exposure: No data for health effects associated with long term inhalation.

## Skin Contact:

Short term exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use. Long Term exposure: No data for health effects associated with long term skin exposure.

## Eye Contact:

**Short term exposure:** Exposure via eyes is considered to be unlikely. This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed. **Long Term exposure:** No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. This product is unlikely to cause any irritation problems in the short or long term.

Long Term exposure: No data for health effects associated with long term ingestion.

#### **Carcinogen Status:**

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

## Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Non hazardous mineral filler, insoluble	secret	>50	not set	not set
Non hazardous mineral filler, soluble	secret	20-30	not set	not set
Other non hazardous ingredients	secret	<10	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## **Section 4 - First Aid Measures**

#### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. Skin Contact: No specific health data is available for this product. If any unusual symptoms become evident, or if in

doubt, wash skin with water and contact a Poisons Information Centre or a doctor.

**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.

Ingestion: First aid is not generally required. If in doubt contact a Poisons Information Centre or a doctor.

## **Section 5 - Fire Fighting Measures**

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur after heating to dryness.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Not Combustible. Use extinguishing media suited to burning materials.

Does not burn.
Does not burn.
Does not burn.
Not applicable - does not burn.
Does not burn.

# Section 6 - Accidental Release Measures

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include PVC, Viton. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

# Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to

#### MATERIAL SAFETY DATA SHEET

Issued by: Timbermate Products Pty Ltd

## Product Name: Timbermate Water Based Woodfiller Page: 3 of 4

This revision issued: March, 2010

persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Materials to avoid" in Section 10. Check packaging - there may be further storage instructions on the label.

# Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

## SWA Exposure Limits TWA (mg/m<sup>3</sup>)

STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

**Eye Protection:** Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** There is no specific recommendation for any particular protective material type. **Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

If dried product is being ground or sanded, and dusts are being created, we recommend the use of a dust mask.

## Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Coloured paste. There are several varieties of this product, differing only in
	timber colour.
Odour:	Mild odour.
Boiling Point:	Not applicable.
Freezing/Melting Point:	Decomposes before melting.
Volatiles:	Water component.
Vapour Pressure:	2.37 kPa at 20°C (water vapour pressure).
Vapour Density:	No data.
Specific Gravity:	Approx 2.13
Water Solubility:	Some ingredients are insoluble; others are not.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data
Autoignition temp:	Not applicable - does not burn.

# Section 10 - Stability and Reactivity

**Reactivity**: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. **Incompatibilities:** No particular Incompatibilities.

**Fire Decomposition:** Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur after heating to dryness. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product is unlikely to undergo polymerisation processes.

## MATERIAL SAFETY DATA SHEET

# Section 11 - Toxicological Information

#### Local Effects: Target Organs:

There is no data to hand indicating any particular target organs.

There are no volatile organic compounds in this product; VOC content is zero.

## **Classification of Hazardous Ingredients**

Ingredient

**Risk Phrases** 

No ingredient mentioned in the HSIS database is present in this product at hazardous concentrations.

Section 12 - Ecological Information

This product does not degrade naturally. It will not cause ecological problems because it does not enter biological systems.

# Section 13 - Disposal Considerations

**Disposal:** Containers should be emptied as completely as practical before disposal. If possible, recycle containers either in-house or send to recycle company. If this is not practical, send to a commercial waste disposal site. This product should be suitable for landfill. However, check with local Waste Disposal Authority before sending there. Note that product properties may have been changed in use, significantly altering it's suitability for landfill. Please do NOT dispose into sewers or waterways.

# Section 14 - Transport Information

**ADG Code:** This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

# Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are to be found in the public AICS Database.

# **Section 16 - Other Information**

This MSDS contains only safety-related information. For other data see product literature.

Acronyms:	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
Hazchem Number	Emergency action code of numbers and letters that provide information to emergency
	services especially firefighters
IARC	International Agency for Research on Cancer
SWA	Safe Work Australia, formerly ASCC and NOHSC
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
UN Number	United Nations Number
THIS MSDS SUMMARISES O	UR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND NO USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF
HOW TO SAFELT HANDLE A	The PRODUCT IN THE WORK EASE. EACH ODER MOOT REVIEW THIS MODE IN THE CONTENT OF

HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This MSDS is prepared in accord with the SWA document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, March, 2010.

http://www.kilford.com.au/ Phone (02)9251 4532

## MATERIAL SAFETY DATA SHEET

Issued by: Timbermate Products Pty Ltd